








INSTALLATION GUIDE

SYMPHONY Surface Mount

PART A: INSTALL PREPARATION









components

Horizontal Bars	Vertical Bars	End Caps	Base Mounts	M5 Set Screw	5/16-24 x 2" Bolt	Washer (included)
 A	 B	 C	 D	 E	 F	 G

⚠ WARNING:
This product can expose you to chemicals including chromium (hexavalent compounds), which are known to the State of California to cause cancer and birth defects or other reproductive harm.


For more information, visit www.p65warnings.ca.gov

tools

Allen Key 2.5 mm (included)	3/8" Drill Bit (included)	3/8" Drill Bit	Jig K (included)	Drill	Wrench	Tape Measure	Jig O (Shop Supplied)
 H	 I	 J	 K	 L	 M	 N	 O

Recommended but not required
Refer to **PART F** for placement


install prep



PART B: ASSEMBLY


1

Insert vertical bars and end caps




2

Insert Jig K & O



3


Secure corners of Vertical Bars



PART C: ASSEMBLY & WALL INSTALLATION


4

Secure
corners of
Vertical Bars




5

Tighten
Horizontal Bars



6


Attach
Base
Mounts



PART D: WALL INSTALLATION

7

Measure distance ("Z") for hole placement



8

Drill 3/8" holes into table surface







Table top view:







9

Fix Symphony to table surface



Up to 1 3/4" table top thickness



PART F: Jig O Positioning




Leave Behind Imitation Leather Care Instructions

1. Standard cleaning: wipe clean with a slightly damp cloth. Do not use highly acidic or alkaline cleaners, other non-recommended commercial cleaners or polishes, or treated cloths that have been used to clean other furniture. Do not steam or use heat.

2. Stain removal: Mix denatured alcohol (methylated spirits) and warm water in equal proportions, dampen a clean cloth with the mixture, and wipe stain until it's removed. Denatured alcohol is poisonous and highly flammable, but evaporates quickly and cleanly and will remove stains from imitation leather surfaces. Do not steam or use heat.











Assembly Without A Jig



Recommended maximum 'X': 12"

Recommended maximum 'Y': 40"

PART E: AVAILABLE SIZES & SUGGESTED CONFIGURATIONS

HORIZONTAL BARS				
	13.5"	23"	35"	47"
VERTICALS				
19"				
42"				
66"	