

Lid/Flap and Lift-up Cabinet Door Systems



soft&silent)))

Functionality Your Customers Will Love. Reliability You Can Count On.



Lid/Flap Stays

Many of Häfele's lift-up systems are now available with Soft & Silent closing.

soft&silent)))

Häfele Functionality

Delight the busiest, most demanding gourmet with adjustable weight capacity that counterbalances varying door materials for feather-like action. Worry free construction minimizes call backs and continues to provide your customers with superior reliability and performance long after you've moved on to the next job.

Adjustable braking ensures every cabinet door will remain open at any height. All lid stays are engineered with a maximum opening angle of 110° which guarantees compatibility with virtually all hinges on the market.

A uniform hole boring pattern across our entire line of lid/flap stays and lift-up cabinet door systems reduces tool setup and production time helping increase your profits. Häfele's lid/flap stays and lift-up systems are compatible with wood and aluminum profile doors.

**Maximum door weight recommendations are dependent on door dimensions. Reference The Complete Häfele catalog for comprehensive size and weight information.*

FREE for doors

Free's unique all-in-one design eliminates the need to buy, install and adjust separate hinges.



- Easy clip-on mounting
- Door is 3D adjustable
- Works with a wide range of door sizes for maximum flexibility
- Weight capacity of up to 37 lbs.*
- Maximum Door Height: 27 9/16"
- Available in gray finish
- Soft & Silent closing

MAXI for heavy doors

The MAXI handles the largest cabinet doors with ease and finesse. When your project demands are heavy duty you can rely on MAXI.



- Weight capacity of up to 50 lbs.* makes the heaviest doors easy to operate
- Installs quickly with tool-free clip mounting
- Maximum door height: 39 3/8"
- Available in nickel-plated finish
- Soft & Silent closing

Duo for lid or flap

Duo is dual function. Use one stay throughout the kitchen for lid or flap applications.



- Duo installs fast with tool-free clip mounting
- The brake grips instantly without sagging
- Weight capacities of up to 18 lbs.* make it easier to match the correct stay to lid or flap material for easy operation
- Suitable for face frame applications
- Available in silver, black, or nickel-plated finishes

Lift-Up Cabinet Door Systems

Häfele's lift-up cabinet door systems feature a variable stop that keeps cabinet doors open in any position. The door remains within easy reach, regardless of height, every time. Adjustable weight capacities, up to 53 lbs. enable your customers to move the heaviest doors effortlessly in the busiest kitchens.

Whether you build face frame or frameless cabinets and have an inset or overlay application, Häfele's innovative lift-up systems are the answer.

Häfele's lift-up systems are compatible with wood or aluminum frame cabinet doors. Special mounting brackets are available for aluminum profiles of 1 3/8" or less.

For a comprehensive selection of lid/flap and lift up cabinet door system options, expert assistance in selecting the right solution and information on the Face Frame Adapter Bracket which is available for quick and easy mounting of Strato, Senso, and Verso in Face Frame cabinets with overlay doors, contact your Häfele Hardware Consultant.

**Maximum door weight recommendations are dependent on door dimensions. Reference The Complete Häfele catalog for comprehensive size and weight information.*

Senso for bi-fold lift-up doors

For optimum design flexibility, Senso provides bi-fold movement for doors of equal height or in proportions of two-thirds top and one-third bottom. For safety the middle hinges unsnap to prevent injury to jammed fingers without damaging the hinge or the door. Counterbalancing adjustment allows doors to remain open at the position of release. And the Soft & Silent closing system brings doors down gently and quietly.



- Ideal for tall upper cabinet applications
- Minimum cabinet depth: 5 7/16"
- Three dimensional door adjustment ensures precise alignment
- Coordinating cover cap neatly conceals the mechanism
- Accommodates door heights from 21 1/4" – 35 7/16"
- Maximum door weight: 53.9 lbs.*
- Soft & Silent closing

Strato for lift-up doors

Strato glides the door up, parallel to the cabinet face providing full access to the items inside. Doors are counterbalanced to stop in place when released, and close smoothly and quietly with the Soft & Silent noise dampening system. Strato can be used with a broad range of aluminum framed and wood doors, while three dimension adjustment ensures precise alignment.



- The perfect solution for appliance garage applications
- Minimum cabinet depth: 5 7/16"
- Adjust to various door widths by cutting the stabilizer rod to size
- Coordinating cover cap neatly conceals the mechanism
- Accommodates door heights from 13 7/16" – 25 9/16"
- Maximum door weight: 35.2 lbs.*
- Soft & Silent closing

Verso for lift-up doors

With Verso the door easily glides up and over the top of the cabinet and stays in position when released. The adjustability of the fitting allows you to perfectly counterbalance the weight of the door, and the Soft & Silent closing feature keeps doors from slamming shut. Perfect for both wood and aluminum framed doors, Verso can be used with a wide range of door widths just by cutting the stabilizer rod to size.



- Great for Home Office applications
- Minimum cabinet depth: 5 7/16"
- Three dimensional door adjustment makes alignment easy
- Coordinating cover cap neatly conceals the mechanism
- Accommodates door heights from 16 9/16" – 31 1/2"
- Maximum door weight: 37.4 lbs.*
- Soft & Silent closing



Adaptable weight capacity, adjustable braking, rock solid reliability and intuitive ease of operation are a few of the benefits you and your customers will appreciate when you choose Häfele for solutions for the latest trends in kitchen design.

Häfele offers a comprehensive choice of innovative, high quality lid/flap stays and lift-up systems. For the entire selection, please see the Hinges and Stays section of **The Complete Häfele** catalog or contact your Häfele Hardware Consultant.

Häfele America Co.

Häfele Headquarters

Sales/Distribution/
Corporate Office
3901 Cheyenne Drive
P.O. Box 4000
Archdale, NC 27263
Phone: 800 423 3531
Fax: 800 325 6197

Chicago

Showroom/Sales
154 W. Hubbard Street
Chicago, IL 60654
Phone: 800 423 3531
Fax: 800 325 6197

Los Angeles

Showroom/Sales/Distribution
19641 Harborgate Way
Torrance, CA 90501
Phone: 800 423 3531
Fax: 800 325 6197

New York

Showroom/Sales
at Madison Park
25 East 26th Street
New York, New York 10010
Phone: 800 423 3531
Fax: 800 325 6197

San Francisco

Showroom/Sales
151 Vermont Street, Suite 9
San Francisco, CA 94103
Phone: 800 423 3531
Fax: 800 325 6197

Caribbean

Sales/Distribution/
Corporate Office
3901 Cheyenne Drive
P.O. Box 4000
Archdale, NC 27263
Phone: 336 434 8117
(P.R. & USA) 800 423 3531
Fax: 800 431 6833

Häfele Canada, Inc.

Canada Headquarters

Showroom/Sales/Distribution
5323 John Lucas Dr.
Burlington, Ontario L7L 6A8
Phone: 800 423 3531
Local: 905 336 6608
Fax: 905 319 4445

Montréal

For customers in Québec
and the Maritimes please call:
Phone: 800 423 3531
Local: 514 593 8206
Fax: 514 593 4472

Calgary

Sales/Distribution
Bay 30, 2151-32nd Street N.E.
Calgary, Alberta T1Y 7G3
Phone: 800 423 3531
Local: 403 291 9670
Fax: 403 291 9592

HÄFELE
FINDING BETTER WAYS

www.hafele.com / 800.423.3531

Copyright 2009 Häfele America Co.